

VERTABLEND

Silage | Haylage | Grain | Hay



efficient

Vertical Self-Propelled
and Stationary TMR Mixers

TMR
**Feeding
& Mixing**
combined into
one easy task

VERTABLEND



4200 Portable Unit

AVAILABLE WITH UNLOADING AUGER

- Available in 2 Models.
 - 42 cu. ft.
- Dimensions: 76" L x 36" W x 69" H
 - 55 cu. ft.
- Dimensions: 84" L x 43" W x 69" H
- Specs for both models
- Powered by 13 HP Honda
- Hydraulic Drive
- Excellent Maneuverability
- Electronic Scale
- Stainless Steel Bin
- Optional: Unloading Auger for Feeding into Troughs

5500 Portable Unit



mixing auger



electronic scale



discharge outlet



engine driven



Silage | Haylage | Grain | Hay

Twin Screw Stationary Unit

- 155 cu. ft.
- Powered by 2, 7½ HP Electric Motors
- Excellent for Handling Hay and Baleage
- Electronic Scale of Choice
- Stainless Steel Mixing Bin
- Efficient and Affordable
- Dimensions: 132" L x 58" W x 76" H



Single Screw Stationary Unit

- 155 cu. ft.
- Carbide Knives, Capable of Handling Hay and Baleage
- 2 Speed Heavy Duty Gearbox for increased torque and faster cleanout
- Electronic Scale of Choice
- Dimensions: 102" L x 82" W x 78" H
- Powered by 2, 7½ HP Electric Motors or can be powered by tractor or diesel power pak into other side of planetary gearbox

TMR
**Portable
& Stationary**
For Every Application



"unsurpassed in *maneuverability*"

VERTABLEND

Silage | Haylage | Grain | Hay



9500 Portable Unit

- 95 cu.ft.capacity
- length 120" width 50" height 69"
- Powered by 28 hp gas engine
- Excellent for loading with loader or skidsteer
- Stainless Steel Mixing tub
- Electronic scale
- Hydraulic drive & mixing
also add to 42 & 55 cu ft units
- electric start 13 hp honda



dual augers



controls

VERTABLEND

3965 Lawson Line RR#3
Wallenstein, Ontario N0B 2S0

Tel: 519-698-2338

Cell: 519-497-1386

sales@vertablendmfg.com

www.vertablendmfg.com

certified retailer:



Dealer Inquiries Welcome: